

## Ramshot Magnum

# 7mm Remington Mag

Bullet			Primer			OAL (in.)	ChargeWt (grains)		
Weight (grains)	Type	Mfrs. No.	Mfr.	Type	Brass				
120	Nosler B-Tip	28120	Win	WLRM	Win	3.285	76	77.4	79
						Velocity	3243	3295	3357
						SD Vel	17	16	15
						Pressure	51191	53141	56431
140	Barnes XBT	28455	Win	WLRM	Win	3.235	72	74	76
						Velocity	2979	3080	3137
						SD Vel	19	12	13
						Pressure	50591	55781	58331
150	Combined Tech	51110	Win	WLRM	Win	3.265	72	73.5	75
						Velocity	2964	3047	3081
						SD Vel	10	8	10
						Pressure	52581	57611	59051
160	Barnes X	28435	CCI	250	Win	3.27	68.3	69.6	71.2
						Velocity	2716	2866	2947
						SD Vel	8	11	9
						Pressure	49131	56431	60201
162	Hornady A-Max	28402	Win	WLRM	Win	3.29	69.7	71.1	72.6
						Velocity	2842	2928	2982
						SD Vel	11	8	10
						Pressure	50901	55261	58281
175	Nosler Partition	35645	Win	WLRM	Win	3.27	67.4	68.7	70.1
						Velocity	2694	2753	2852
						SD Vel	4	7	6
						Pressure	49531	52741	58541

## Ramshot Hunter

# 7mm Remington Mag

Bullet			Primer							
Weight (grains)	Type	Mfrs. No.	Mfr.	Type	Brass	OAL (in.)	ChargeWt (grains)			
120	Hornady SP	2810	Win	WLRM	Win	3.2	65.8		67.1	
						Velocity	3255		3300	
						SD Vel	11			
						Pressure	56371		58291	
140	Nosler B-Tip	28140	Fed	215M	Rem	3.24	62			
						Velocity	3097			
						SD Vel	6			
						Pressure	55600			
160	Barnes X	28435	Fed	215M	Rem	3.28	58		60	
						Velocity	2766		2806	
						SD Vel	19		8	
						Pressure	54420		55450	
162	Hornady BTSP	2845	Fed	215M	Rem	3.29	57.7		59.7	
						Velocity	2824		2934	
						SD Vel	13		14	
						Pressure	52130		58590	