



## Reloading Data Center - Cartridge

### Main Area

[Home](#)

### HLMS

[Cartridge Loads](#)

[Shotshell Loads](#)

### Reference

[WAD Subst. Chart](#)

**Instructions:** Select a **Load Type** and **Cartridge**, then click **Get Data** to view results. You may also filter by Manufacturer, Bullet Weight and Powder.

#### Filters

**Load Type**

Rifle

**\*Cartridge**

25-06 Remington

**Manufacturer**

- All -

**Bullet Weight**

- All -

**Powder**

- All -

Get Data

Clear

Print

E-Mail

**Cartridge:** 25-06 Remington

**Load Type:** Rifle

**Starting Loads**

**Maximum Loads**

Bullet Weight (Gr.)	Manufacturer	Powder	Bullet Diam.	C.O.L.	Starting Loads			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
75 GR. HDY V-MAX	Hodgdon	H1000	.257"	3.100"	58.0	3135	35,300 CUP	62.0C	3339	40,000 CUP
75 GR. HDY V-MAX	IMR	IMR 7828 SSC	.257"	3.100"	56.0	3252	44,300 CUP	59.7C*	3486	50,600 CUP
75 GR. HDY V-MAX	Winchester	Supreme 780	.257"	3.100"	56.4	3390	46,900 PSI	60.0	3642	58,600 PSI
75 GR. HDY V-MAX	Hodgdon	H4831	.257"	3.100"	58.0	3393	41,800 CUP	62.0C	3599	49,300 CUP
75 GR. HDY V-MAX	Hodgdon	Hybrid 100V	.257"	3.100"	51.0	3395	44,300 CUP	55.5	3625	50,900 CUP
75 GR. HDY V-MAX	IMR	IMR 4831	.257"	3.100"	53.0	3197	43,200 CUP	58.0C	3540	51,600 CUP
75 GR. HDY V-MAX	Hodgdon	H4350	.257"	3.100"	54.0	3460	43,300 CUP	58.5	3700	50,900 CUP
75 GR. HDY V-MAX	Hodgdon	H414	.257"	3.100"	51.0	3471	44,500 CUP	55.0	3626	50,100 CUP
75 GR. HDY V-MAX	IMR	IMR 4350	.257"	3.100"	50.0	3195	41,800 CUP	55.0	3493	51,000 CUP
75 GR. HDY V-MAX	Winchester	760	.257"	3.100"	51.0	3471	44,500 CUP	55.0	3626	50,100 CUP
75 GR. HDY V-MAX	IMR	IMR 4007 SSC	.257"	3.100"	50.0	3299	43,200 CUP	54.5	3565	50,900 CUP
75 GR. HDY V-MAX	Hodgdon	H380	.257"	3.100"	47.0	3331	45,000 CUP	51.0	3494	49,900 CUP
75 GR. HDY V-MAX	Hodgdon	Varget	.257"	3.100"	46.0	3454	43,400 CUP	49.7	3660	51,200 CUP
75 GR. HDY V-MAX	IMR	IMR 4064	.257"	3.100"	44.0	3322	43,600 CUP	48.5	3566	51,200 CUP
75 GR. HDY V-MAX	IMR	IMR 4895	.257"	3.100"	43.0	3250	44,100 CUP	48.0	3529	50,900 CUP
75 GR. HDY V-MAX	Hodgdon	H4895	.257"	3.100"	45.0	3474	45,000 CUP	48.5	3642	50,800 CUP
80 GR. BAR TTSX BT	IMR	IMR 7828 SSC	.257"	3.075"	57.0	3350	49,900 PSI	61.0C*	3582	58,500 PSI
80 GR. BAR TTSX BT	Hodgdon	Hybrid 100V	.257"	3.075"	50.0	3353	46,400 PSI	54.0C	3624	56,600 PSI
80 GR. BAR TTSX BT	IMR	IMR 4831	.257"	3.075"	52.0	3301	45,600 PSI	56.0C	3569	55,200 PSI
80 GR. BAR TTSX BT	Hodgdon	H4350	.257"	3.075"	51.0	3347	48,500 PSI	55.0C	3560	56,900 PSI

80 GR. BAR TTSX BT	Hodgdon	H414	.257"	3.075"	48.0	3379	52,800 PSI	53.0	3586	60,300 PSI
80 GR. BAR TTSX BT	IMR	IMR 4350	.257"	3.075"	51.0	3372	49,300 PSI	55.0C	3600	57,300 PSI
80 GR. BAR TTSX BT	Winchester	760	.257"	3.075"	48.0	3379	52,800 PSI	53.0	3586	60,300 PSI
80 GR. BAR TTSX BT	IMR	IMR 4007 SSC	.257"	3.075"	50.0	3425	52,700 PSI	54.0	3653	61,800 PSI
80 GR. BAR TTSX BT	Hodgdon	H380	.257"	3.075"	49.0	3394	52,800 PSI	52.5	3597	60,800 PSI
80 GR. BAR TTSX BT	Hodgdon	Varget	.257"	3.075"	45.0	3389	51,800 PSI	49.0	3613	60,900 PSI
80 GR. BAR TTSX BT	IMR	IMR 4064	.257"	3.075"	45.0	3377	49,500 PSI	49.5	3645	61,400 PSI
80 GR. BAR TTSX BT	IMR	IMR 4895	.257"	3.075"	45.0	3385	50,500 PSI	49.5	3661	61,900 PSI
80 GR. BAR TTSX BT	Hodgdon	H4895	.257"	3.075"	43.0	3408	52,100 PSI	47.5	3630	61,500 PSI
85 GR. NOS BT	Hodgdon	H1000	.257"	3.230"	58.0	3218	41,000 CUP	62.0C	3442	48,100 CUP
85 GR. NOS BT	IMR	IMR 7828 SSC	.257"	3.230"	55.0	3186	46,200 CUP	59.2C*	3417	51,900 CUP
85 GR. NOS BT	Winchester	Supreme 780	.257"	3.230"	54.5	3321	52,700 CUP	58.0	3470	59,200 PSI
85 GR. NOS BT	Hodgdon	H4831	.257"	3.230"	54.0	3302	46,000 CUP	58.0	3473	51,700 CUP
85 GR. NOS BT	Hodgdon	Hybrid 100V	.257"	3.230"	49.0	3223	44,100 CUP	54.0	3490	51,200 CUP
85 GR. NOS BT	IMR	IMR 4831	.257"	3.230"	49.0	3021	42,400 CUP	55.0	3417	51,600 CUP
85 GR. NOS BT	Hodgdon	H4350	.257"	3.230"	49.0	3255	44,400 CUP	53.0	3445	50,700 CUP
85 GR. NOS BT	Hodgdon	H414	.257"	3.230"	48.0	3248	45,000 CUP	52.0	3443	50,600 CUP
85 GR. NOS BT	IMR	IMR 4350	.257"	3.230"	48.0	3107	43,700 CUP	53.0	3398	50,800 CUP
85 GR. NOS BT	Winchester	760	.257"	3.230"	48.0	3248	45,000 CUP	52.0	3443	50,600 CUP
85 GR. NOS BT	IMR	IMR 4007 SSC	.257"	3.230"	47.0	3147	45,000 CUP	52.0	3453	51,600 CUP
85 GR. NOS BT	Hodgdon	H380	.257"	3.230"	45.0	3130	43,700 CUP	49.0	3321	51,200 CUP
85 GR. NOS BT	Hodgdon	Varget	.257"	3.230"	43.0	3271	45,000 CUP	46.5	3449	50,900 CUP
85 GR. NOS BT	IMR	IMR 4064	.257"	3.230"	42.0	3149	45,700 CUP	45.7	3353	50,200 CUP
85 GR. NOS BT	IMR	IMR 4895	.257"	3.230"	41.0	3063	43,300 CUP	45.5	3297	50,100 CUP
85 GR. NOS BT	Hodgdon	H4895	.257"	3.230"	41.0	3176	44,600 CUP	44.5	3369	51,600 CUP
87 GR. SPR HP	Hodgdon	H1000	.257"	3.115"	58.0	3176	36,200 CUP	62.0C	3296	43,700 CUP
87 GR. SPR HP	IMR	IMR 7828 SSC	.257"	3.115"	55.0	3133	43,600 CUP	59.5C*	3398	51,600 CUP
87 GR. SPR HP	Winchester	Supreme 780	.257"	3.115"	55.5	3255	49,700 PSI	59.0	3454	58,500 PSI
87 GR. SPR HP	Hodgdon	H4831	.257"	3.115"	56.0	3232	43,500 CUP	60.0	3421	50,500 CUP
87 GR. SPR HP	Hodgdon	Hybrid 100V	.257"	3.115"	50.0	3214	42,400 CUP	55.0	3499	49,300 CUP
87 GR. SPR HP	IMR	IMR 4831	.257"	3.115"	52.0	3099	41,900 CUP	56.5	3398	50,600 CUP
87 GR. SPR HP	Hodgdon	H4350	.257"	3.115"	50.0	3234	45,600 CUP	54.5	3409	50,800 CUP
87 GR. SPR HP	Hodgdon	H414	.257"	3.115"	47.0	3138	43,800 CUP	50.5	3327	51,100 CUP
87 GR. SPR HP	IMR	IMR 4350	.257"	3.115"	50.0	3086	41,800 CUP	54.8	3378	50,900 CUP
87 GR. SPR HP	Winchester	760	.257"	3.115"	47.0	3138	43,800 CUP	50.5	3327	51,100 CUP
87 GR. SPR HP	IMR	IMR 4007 SSC	.257"	3.115"	49.0	3162	42,900 CUP	53.5	3421	50,400 CUP
87 GR. SPR HP	Hodgdon	Varget	.257"	3.115"	43.0	3231	44,900 CUP	46.0	3382	50,500 CUP

87 GR. SPR HP	IMR	IMR 4064	.257"	3.115"	42.0	3091	42,000 CUP	46.5	3344	50,600 CUP
87 GR. SPR HP	IMR	IMR 4895	.257"	3.115"	42.0	3148	45,800 CUP	46.0	3341	51,000 CUP
87 GR. SPR HP	Hodgdon	H4895	.257"	3.115"	43.0	3243	47,700 CUP	45.5	3364	51,600 CUP
90 GR. HDY GMX	Hodgdon	Retumbo	.257"	3.115"	56.0	3250	51,000 PSI	60.0C	3432	58,700 PSI
90 GR. HDY GMX	Hodgdon	H1000	.257"	3.115"	56.0	3248	54,900 PSI	60.0C	3377	59,300 PSI
90 GR. HDY GMX	IMR	IMR 7828 SSC	.257"	3.115"	52.0	3198	52,300 PSI	57.0C	3437	61,500 PSI
90 GR. HDY GMX	Winchester	Supreme 780	.257"	3.115"	54.0	3255	50,600 PSI	57.5	3429	57,100 PSI
90 GR. HDY GMX	Hodgdon	H4831	.257"	3.115"	50.0	3205	56,200 PSI	54.5C	3363	61,000 PSI
90 GR. HDY GMX	Hodgdon	Hybrid 100V	.257"	3.115"	46.0	3152	49,100 PSI	50.7	3436	59,500 PSI
90 GR. HDY GMX	IMR	IMR 4831	.257"	3.115"	48.0	3219	53,400 PSI	52.8	3437	60,400 PSI
90 GR. HDY GMX	Hodgdon	H4350	.257"	3.115"	45.0	3117	51,300 PSI	49.5	3344	60,600 PSI
90 GR. HDY GMX	Hodgdon	H414	.257"	3.115"	45.0	3122	51,900 PSI	49.5	3339	59,800 PSI
90 GR. HDY GMX	IMR	IMR 4350	.257"	3.115"	47.0	3223	54,800 PSI	52.0	3437	61,800 PSI
90 GR. HDY GMX	IMR	IMR 4007 SSC	.257"	3.115"	44.0	3147	55,400 PSI	49.0	3368	61,600 PSI
90 GR. HDY GMX	Hodgdon	Varget	.257"	3.115"	41.0	3098	51,600 PSI	44.0	3261	58,800 PSI
90 GR. HDY GMX	IMR	IMR 4064	.257"	3.115"	40.0	3043	48,900 PSI	44.0	3253	57,300 PSI
90 GR. HDY GMX	IMR	IMR 4895	.257"	3.115"	41.0	3070	49,200 PSI	46.0	3351	59,900 PSI
90 GR. HDY GMX	Hodgdon	H4895	.257"	3.115"	39.0	3053	50,800 PSI	43.0	3281	60,200 PSI
90 GR. SIE HPBT	Hodgdon	H1000	.257"	3.100"	58.0	3142	40,300 CUP	62.0C	3330	47,500 CUP
90 GR. SIE HPBT	IMR	IMR 7828 SSC	.257"	3.100"	55.0	3145	46,400 CUP	59.5C*	3374	52,900 CUP
90 GR. SIE HPBT	Winchester	Supreme 780	.257"	3.100"	53.6	3162	45,200 CUP	57.0	3331	50,300 CUP
90 GR. SIE HPBT	Hodgdon	H4831	.257"	3.100"	54.0	3213	46,000 CUP	58.0	3481	50,400 CUP
90 GR. SIE HPBT	Hodgdon	Hybrid 100V	.257"	3.100"	50.0	3217	46,400 CUP	54.0	3404	51,500 CUP
90 GR. SIE HPBT	IMR	IMR 4831	.257"	3.100"	51.0	3095	42,900 CUP	55.5	3374	51,100 CUP
90 GR. SIE HPBT	Hodgdon	H4350	.257"	3.100"	49.0	3191	44,000 CUP	53.0	3370	50,700 CUP
90 GR. SIE HPBT	Hodgdon	H414	.257"	3.100"	47.0	3135	44,300 CUP	51.0	3315	50,200 CUP
90 GR. SIE HPBT	IMR	IMR 4350	.257"	3.100"	49.0	3088	42,800 CUP	53.5	3348	51,400 CUP
90 GR. SIE HPBT	Winchester	760	.257"	3.100"	47.0	3135	44,300 CUP	51.0	3315	50,200 CUP
90 GR. SIE HPBT	IMR	IMR 4007 SSC	.257"	3.100"	48.0	3158	44,700 CUP	52.7	3430	51,700 CUP
90 GR. SIE HPBT	Hodgdon	Varget	.257"	3.100"	42.0	3165	45,000 CUP	45.0	3312	50,400 CUP
90 GR. SIE HPBT	IMR	IMR 4064	.257"	3.100"	42.0	3117	45,100 CUP	45.8	3298	51,100 CUP
90 GR. SIE HPBT	IMR	IMR 4895	.257"	3.100"	42.0	3106	46,000 CUP	45.9	3269	49,200 CUP
90 GR. SIE HPBT	Hodgdon	H4895	.257"	3.100"	41.0	3128	44,100 CUP	44.0	3257	51,000 CUP
100 GR. NOS PART	Hodgdon	H1000	.257"	3.200"	56.0	3055	44,600 CUP	59.7C	3212	50,700 CUP
100 GR. NOS PART	IMR	IMR 7828 SSC	.257"	3.200"	53.0	2940	40,700 CUP	57.2C	3203	51,300 CUP
100 GR. NOS PART	Winchester	Supreme 780	.257"	3.200"	52.2	3074	45,400 CUP	55.5	3229	50,000 CUP
100 GR. NOS PART	Hodgdon	H4831	.257"	3.200"	51.0	3025	46,800 CUP	54.3	3172	51,400 CUP

100 GR. NOS PART	Hodgdon	Hybrid 100V	.257"	3.200"	48.0	3034	44,200 CUP	52.5	3295	51,800 CUP
100 GR. NOS PART	IMR	IMR 4831	.257"	3.200"	49.0	2981	41,700 CUP	54.0	3233	51,400 CUP
100 GR. NOS PART	Hodgdon	H4350	.257"	3.200"	47.0	3038	47,800 CUP	50.0	3155	51,500 CUP
100 GR. NOS PART	Hodgdon	H414	.257"	3.200"	42.0	2843	44,600 CUP	47.0	3059	50,700 CUP
100 GR. NOS PART	IMR	IMR 4350	.257"	3.200"	48.0	2975	43,200 CUP	52.8	3257	51,200 CUP
100 GR. NOS PART	Winchester	760	.257"	3.200"	42.0	2843	44,600 CUP	47.0	3059	50,700 CUP
100 GR. NOS PART	IMR	IMR 4007 SSC	.257"	3.200"	46.0	2992	42,900 CUP	50.8	3256	51,100 CUP
100 GR. NOS PART	Hodgdon	Varget	.257"	3.200"	41.0	2974	45,600 CUP	44.0	3125	51,400 CUP
100 GR. NOS PART	IMR	IMR 4064	.257"	3.200"	40.0	2904	40,400 CUP	44.0	3122	50,800 CUP
100 GR. NOS PART	IMR	IMR 4895	.257"	3.200"	42.0	3009	46,000 CUP	45.3	3155	50,400 CUP
100 GR. NOS PART	Hodgdon	H4895	.257"	3.200"	40.0	2921	44,200 CUP	43.0	3072	51,000 CUP
100 GR. NOS PART	IMR	Trail Boss	.257"	3.200"	13.4	1454	25,500 PSI	19.2	1712	30,600 PSI
117 GR. HDY SPBT	Hodgdon	Retumbo	.257"	3.165"	56.0	2876	44,600 CUP	60.5C	3079	50,700 CUP
117 GR. HDY SPBT	Hodgdon	H1000	.257"	3.165"	55.0	2936	47,200 CUP	58.5C	3046	51,000 CUP
117 GR. HDY SPBT	IMR	IMR 7828 SSC	.257"	3.165"	51.0	2879	46,600 CUP	55.0	3037	51,200 CUP
117 GR. HDY SPBT	Winchester	Supreme 780	.257"	3.165"	51.2	2962	54,500 PSI	54.5	3095	61,200 PSI
117 GR. HDY SPBT	Hodgdon	H4831	.257"	3.165"	48.0	2748	43,000 CUP	52.0	2937	50,900 CUP
117 GR. HDY SPBT	Hodgdon	Hybrid 100V	.257"	3.165"	46.0	2981	43,100 CUP	50.5	3111	50,400 CUP
117 GR. HDY SPBT	IMR	IMR 4831	.257"	3.165"	48.0	2839	42,600 CUP	53.0	3137	51,400 CUP
117 GR. HDY SPBT	Hodgdon	H4350	.257"	3.165"	44.0	2737	44,300 CUP	47.7	2923	50,800 CUP
117 GR. HDY SPBT	IMR	IMR 4350	.257"	3.165"	47.0	2851	42,700 CUP	52.0	3106	51,300 CUP
117 GR. HDY SPBT	IMR	IMR 4007 SSC	.257"	3.165"	46.0	2901	45,100 CUP	50.0	3091	51,400 CUP
117 GR. HDY SPBT	Hodgdon	Varget	.257"	3.165"	37.0	2637	42,900 CUP	41.0	2838	50,100 CUP
117 GR. HDY SPBT	Hodgdon	H4895	.257"	3.165"	37.0	2641	44,500 CUP	40.0	2797	50,600 CUP
120 GR. SFT SP	Hodgdon	Retumbo	.257"	3.150"	56.0	2806	43,700 CUP	60.0C	2991	50,300 CUP
120 GR. SFT SP	Hodgdon	H1000	.257"	3.150"	52.0	2772	44,900 CUP	55.5	2902	50,600 CUP
120 GR. SFT SP	IMR	IMR 7828 SSC	.257"	3.150"	50.0	2752	44,400 CUP	54.0	2923	50,300 CUP
120 GR. SFT SP	Winchester	Supreme 780	.257"	3.150"	49.8	2821	44,600 CUP	53.0	2984	50,000 CUP
120 GR. SFT SP	Hodgdon	H4831	.257"	3.150"	48.0	2705	45,800 CUP	51.5	2856	51,200 CUP
120 GR. SFT SP	Hodgdon	Hybrid 100V	.257"	3.150"	46.0	2796	44,500 CUP	50.0	3009	51,200 CUP
120 GR. SFT SP	IMR	IMR 4831	.257"	3.150"	48.0	2787	42,200 CUP	53.0C	3065	50,900 CUP
120 GR. SFT SP	Hodgdon	H4350	.257"	3.150"	44.0	2643	42,900 CUP	47.5	2816	50,900 CUP
120 GR. SFT SP	IMR	IMR 4350	.257"	3.150"	48.0	2831	43,500 CUP	52.0C	3049	50,800 CUP
120 GR. SFT SP	IMR	IMR 4007 SSC	.257"	3.150"	45.0	2805	43,900 CUP	49.0	3005	50,300 CUP
120 GR. SFT SP	Hodgdon	Varget	.257"	3.150"	38.0	2584	45,100 CUP	41.0	2755	51,900 CUP
120 GR. SFT SP	Hodgdon	H4895	.257"	3.150"	37.0	2541	45,400 CUP	40.0	2694	51,700 CUP