



The following data was developed in a RUGER 77 SS MATCH with a 26" barrel. It has a LEUPOLD 6.5 – 20X scope in RUGER mounts. All primers were FEDERAL 210 in REMINGTON brass.

All groups are 5 shots at 100 yards

## **25-06 REMINGTON**

<b>POWDER</b>	<b>BULLET</b>	<b>VELOCITY</b>	<b>GROUP</b>
51.5 H414	SIERRA 75 HP	3404	1.256
52.5		3429	1.025
53.7		3502	1.335
55.0		3548	0.909
49.4 H380		3301	1.524
50.9		3402	1.469
51.9		3423	0.888
53.0		3479	0.700
60.0 RELOADER 19		3643	0.495
61.0		3743	0.746
62.0		3799	0.656

58.0 H4831		3400	0.897
59.0		3509	0.550
44.0 VVN 140		3227	1.021
45.0		3292	0.975
46.0		3351	0.745
47.0		3418	1.125
48.0		3481	0.685
49.0		3512	0.965
50.0		3549	0.767
51.0		3619	0.674
52.0		3697	0.491
53.0		3771	0.770
47.0 VVN 150		3327	0.709

48.5		3400	0.759
49.5		3466	0.562
50.5		3517	0.815
51.5		3571	0.644
58.0 VVN 160		3496	1.023
59.0		3592	0.581
60.0		3663	0.689
61.0		3714	0.540
50.5 H414		3354	1.041
58.0 H4831	BRAWAND 78 HP	3437	0.426
59.0		3499	0.517
53.0 H4350		3336	0.628
54.0		3374	0.671

55.0		3481	0.257
50.0 VVN 140		3566	0.930
51.0		3616	0.280
52.0		3693	0.882
49.0 H414	NOSLER 85 BTIP	3202	0.947
49.5		3233	0.811
50.2		3263	0.574
51.0		3357	0.862
53.0 H4350		3350	0.771
54.0		3411	1.281
55.0		3501	0.660
56.0		3552	1.023
54.2 VVN 160		3158	0.728

54.7		3215	0.597
55.3		3305	0.783
56.0		3350	1.400
57.0		3484	0.933
47.6 H 414		3151	1.300
48.5		3177	1.100
49.2		3219	0.532
57.0 H4831		3374	0.515
58.0		3455	0.731
59.0		3516	0.822
53.0 VVN 160	SPEER 100 HP	3126	0.434
54.0		3161	0.652
55.0		3227	0.810

57.0 VVN 165		3242	0.762
58.0		3303	0.669
53.0 VVN 160	NOSLER 100 BTIP	3184	0.786
54.0		3233	1.409
57.0 VVN 165		3316	0.728
58.0		3380	1.016
51.0 H4350		3191	0.646
52.0		3250	0.553
54.0 H4381		3157	1.123
55.0		3228	0.701
56.0		3253	0.976
55.0 RELOADER 22		3209	1.236
56.0		3275	1.151

57.0		3349	0.739
FEDERAL FACTORY	90 HP	3387	0.721



[Back to Main Page](#) | [Reloading Pages](#) | [FAQS](#) | [Hunting](#)



Last updated 28 December 1997